

PROFESSIONALS

Tools and experience

**flooring
technology**



FLOORING TECHNOLOGY MACHINES AND TOOLS



ROLL Single Disc machines

ROLL single disc machines are well-known, premium products for the professional use; all-purpose machines with a large range of accessories for all kind of flooring preparations.

Professional engines with gear wheels made of steel, low-maintenance and robust parts, modern design, big transport wheels, reinforced handle and a bayonet fastening system for easy mounting of accessories describes ROLL single disc machines.

ROLL machines are reliable, efficient and guarantee professional results, also in extreme and long term, continuous use.

All machines - Power, Giant, Duospeed and Finish – can be upgraded with the premium ROLL vacuum system to connect industrial vacuum cleaners.
ROLL vacuum system guarantees 100% dust free work.

Other machines as 110 Volt upon request!



Single disc machine Giant 2500 speed

19.14195J

Application: for extreme use, when you need a machine with high engine power. For aggressive use and with high area efficiency. Recommended for 4-heads sanding disc 19.14500.

Technical specifications:

Working power: 2500 W, 230 V
Rotation: 270 rpm
Weight: 48kg
Working width: 400mm
Gearwheels of steel
Incl. connection for vacuum system 19.14208

Single disc machine Giant 2000

19.14218J

Application: for multi-purpose use with high area efficiency and for permanent use, for all kind of floor preparation, also with heavy discs e.g. Planfräser.

Technical specifications:

Working power : 2000 W, 230 V
Rotation : 154 rpm
Weight : 45kg
Working width : 400mm
Gearwheels of steel
Incl. connection for vacuum system 19.14208

Single Disc Machine Power 1800

19.14200J

Application: for multi-purpose use, for all kind of floor preparation, grinding, cleaning and maintenance.

Technical specifications :

Working power
Rotation : 154 rpm
Weight : 43kg
Working width : 400mm
Gearwheels of steel
Incl. connection for vacuum system 19.14208

**Single disc machine Duospeed 1000**

19.14215J

Application: when you need 2 speeds in one machine: fast rotation (308rpm) for polishing, normal rotation (154U/min) for cleaning and sanding.

Technical specifications:

Working power : 1000/1500 W, 230 V

Rotation : 154/308 rpm

Weight : 43kg

Working width : 400mm

Incl. connection for vacuum system 19.14208

Single disc machine Finish 1100

19.14198J

Application: for grinding and sanding, intermediate sanding, waxing, cleaning and maintenance.

Technical specifications:

Working power : 1100 W, 230 V

Rotation : 154 rpm

Weight : 40kg

Working width : 400mm

Incl. connection for vacuum system 19.14208

Recommendation! For dust free work, to minimize health risk and for your client's sake, we recommend working with the ROLL vacuum system, which can be mounted permanently.

**Transport ramp for single disc machines, stripper and milling machines**

19.14190O

Length: 250cm, width: 50cm, till 350kg, folding.

**Single disc machine Cleaner II**

19.14192J

Very handy and easy to operate machine. Application: for cleaning and maintenance. Recommended for end user. Pad holder included.

Technical specifications:

Working power : 600 W, 230 V

Rotation : 190 rpm

Weight : 22kg

Working width : 330mm

19.14208J



ROLL Vacuum System

New generation! The most comfortable method to vacuum fine dust – guarantees dust free work and minimizes health risks. The installation parts consist of robust metal rings, connection parts for vacuum cleaners and vacuum tube.

All machines (Power, Giant, Finish and Duospeed) are already preinstalled to connect this system.

Function: the inside flexible mounted metal ring is always close to the surface, within these rings dust can be vacuumed, thus the air keeps always dust free. Due to the design you can work close to walls

A 'must have' for each professional, especially when you work in occupied rooms!

Recommendation! We recommend keeping the Vacuum System always mounted!



Detail: the metal ring is close to the surface



Detail: hung-in



Example

**Drive disc of aluminium Ø 380mm**

For abrasive discs. With exchangeable rubber covering.
Socket wrench and fixation screw included.

19.14211J

Drive disc of aluminium Ø 410mm

For abrasive discs. With exchangeable rubber covering.
Socket wrench and fixation screw included.

19.14212J

Rubber covering square, 400x400mm

52.00391J

Socket wrench 12mm

52.00394J

Fixation screw M 25

52.00393J

**4-headed sanding disc**

For sanding of wooden floors, parquet and cork, for finish sanding and for renovating. For sanding before varnishing and sealing.

4 discs run on high quality bearings, discs are with soft underlay for Velcro sanding paper, they turn due to the rotation of the machines. Efficient disc with high sanding removal. 4 x4 sanding discs Ø150mm in different grits are included. Aluminium disc Ø 400mm. Weight 17,4kg.

19.14500J

We recommend working with ROLL vacuum attachment for dust free working area!

**Sanding discs with Velcro 150mm**

Pack of 25 units

Grit 40

24.81040H

Grit 60

24.81060H

Grit 80

24.81080H

Grit 100

24.81100H

Grit 120

24.81120H

Grit 150

24.81150H

Grit 180

24.81180H

**Plane scraper (Planfräser)**

For removing resinous substances, adhesive, remainders of floor coverings, felt and rubber. Very efficient also on large areas. Works like a big scraper. A problem solver!

With 12 carbide cutters which run on springs, they cut on the bottom side and on the outside. You can use them twice, just turn. Steel disc Ø400mm, 18kg.

19.14325J

We recommend using Single disc machine Giant 19.14218 and 19.14195!




Certificated from Henkel Bautechnik Germany!

Set spare cutters for Plane scraper

12 carbide cutters, screws and wrench included.

19.14326J

**Rotorscraper**

For removing resinous substances and remainders of floor coverings. Works like a big scraper.

With 6 carbide cutters which run on springs, You can use cutters 4 times. Steel disc Ø 400mm, 15kg.

19.14322J

Set carbide cutters for Rotorscraper

6 carbide cutters, screws and wrench included.

19.14323J

**Milling disc**

For milling spackle, screed and sinter layer. Works like a milling machine.

With 5 rotating steel pots, each with 9 flexible mounted carbide spikes. Steel disc Ø400mm, 17kg.

Milling disc is part of the Multi-purpose disc!

19.14327J

Set spare spikes for Milling disc

45 carbide spikes, 15 bolts, springs, rings and screws included.

19.14328J

**Diamond disc**

For grinding cement bonded surfaces, screed, anhydrite, coatings. Very aggressive with long service life. The harder the surface the more efficient works this Diamond disc.

With 5 rotating two-rowed diamond discs 125mm. Steel disc Ø 400mm.

Diamond disc is part of the Multi-purpose disc!

19.14320J

**Diamond disc Ø 125mm**

6mm diamond height, two-rowed.

(suits also for Diamond grinder RO-125 and angle grinders)

19.14321J

**Diamond disc Ø 125mm spiral**


Optional for Diamond disc with high area efficiency.

17.16460J

**Diamond pad disc**

For grinding and polishing stone, granite, marble, ceramic. For wet and dry grinding. With 4 rotating discs 125mm with Velcro for diamond pads. Aluminium disc Ø400mm.

19.14600J

**Diamond pads with Velcro 125mm**

Per unit.

Grit 50
 Grit 100
 Grit 200
 Grit 400
 Grit 800
 Grit 1500
 Grit 3000

19.14605J
 19.14610J
 19.14615J
 19.14620J
 19.14625J
 19.14630J
 19.14635J

**Smoothing disc 600mm**

For smoothing wet concrete. Steel disc with edges bent up slightly.

19.14183J

**Steel wire brush**

Universal use for brushing contaminated concrete surfaces. Also for metal surfaces and moulds for concrete. With 5 steel wire brushes with 0,8mm wire. Aluminium disc Ø 400mm.

19.14280J

Spare brush Ø 80mm, 0,8mm wire (hard)

19.14290J

Spare brush Ø 80mm, 0,5mm wire (softer)

19.14291J

**Grinding wheel**

For grinding concrete, screed and spackle. Very aggressive with very smooth grinding results. Aluminium disc Ø 400mm

19.14308J

Spare wheel Ø 400mm

19.14308J

**Grinding disc with 5 stones**

For grinding uneven surfaces of concrete, screed and spackle. 5 stones of silicium carbide 70x90mm grit 20 are screwed on aluminium disc Ø 400mm.

19.14310J

Spare stone 70x90mm grit 20

19.14312J

**Grinding disc with 5 pots**

For grinding concrete, screed and spackle. Very aggressive. 5 pots of silicium carbide Ø 100mm grit 20 are screwd on aluminium disc Ø 400mm.


19.14315J

Spare pot Ø 100mm grit 20

19.14317J

Description of tungsten carbide?

Tungsten carbide is main part of hard metal (90-94%). Tungsten carbide is very hard and durable with a very good price-performance ratio and thus very efficient for grinding floors.

**Tungsten carbide disc with 5 discs****19.17160J**

For rough grinding of cement bonded surfaces. For grinding paint, coatings, lacquer. Very aggressive due to the rotation of the discs and the weight of the disc – 15kg. With 5 rotating split disc 127mm, grit 14, on steel disc Ø 400mm.

Tungsten carbide disc with 5 discs is part of the Multi-purpose disc!

Spare split disc grit 10 Ø 127mm**19.17170J****Spare split disc grit 14 Ø 127mm****19.17165J****Tungsten carbide ring disc grit 14****19.17180J**

For universal use. For rough grinding of cement bonded surfaces, sintered surfaces. For grinding of paint, coatings and thin remainders of adhesive. For grinding uneven surfaces. Steel disc Ø400mm

**Tungsten carbide ring disc grit 10****19.17182J**

For rough grinding of cement bonded surfaces, sintered surfaces. For removing remainders of adhesive. For grinding uneven surfaces. For roughening concrete surfaces. Steel disc Ø 400mm

**Tungsten carbide ring disc grit 6****19.17181J**

Very rough. For removing ductile adhesive, bitumen, felt board and remainders of floor coverings. For milling tile adhesive and remainders of plaster. Steel disc Ø 400mm

**Spare ring Ø 400mm grit 14****19.17185J****Spare ring Ø 400mm grit 10****19.17188J****Spare ring Ø 400mm grit 6****19.17187J****Tungsten carbide disc 40mm**

For grinding spackle, screed and adhesive films. More efficient than abrasives. Double sided metal disc Ø400mm. Used with drive disc 19.14211/12.

Grit 10

19.17125J

Grit 14

19.17130J

Grit 24 (screed)

19.17135J

Grit 36 (spackle)

19.17140J

Multi-purpose disc – 1 disc with 3 applications

This system consists of a Basic steel disc with different accessories.

- **Tungsten carbide discs**
- **Diamond discs**
- **Milling discs**

Multi-purpose disc works with same premium materials as the others well-known ROLL discs, but available as flexible self installation. Due to the different holes in the Basic disc 3 different kits can be mounted. Tools and descriptions come with kits.

**Basic disc**

Basic disc of steel to mount different kits (without tools).

19.14000J**Tungsten carbide – kit grit 14**

5 split discs 127mm with screws and wrench to mount on Basic disc. Please compare 19.17160

19.17167J**Tungsten carbide – kit grit 10**

5 split discs 127mm with screws and wrench to mount on Basic disc. Please compare 19.17160

19.17172J**Diamond disc – kit**

5 diamond discs 125mm with bolts and wrench to mount on basic disc. Please compare 19.14320

19.14324J**Milling disc – kit**

5 milling pots with 9 flexible mounted carbide wheels each, with screws and wrench to mount on Basic disc. Please compare 19.14327

19.14329J



Pad holder 400mm

With exchangeable spiked plate to work with pads.

19.15340J

Spare spiked plate 400mm for Pad holder 19.15340

52.00389J

Pad holder 330mm

For Cleaner 19.14192, with exchangeable spiked plate to work with pads.

19.15341J

Spare spiked plate 300mm for Pad holder 19.15341

52.00385J

Pads and Sanding nets

for single disc machines please compare chapter „abrasives“



Nail brush 400mm

For removing foam, felt and jute. With 34mm steel nails.

19.14300J



Grinding brush 400mm grey

For cleaning contaminated industrial floors. Nylon brush with abrasive grits.

19.15305J



Scrubbing brush 400mm white, rough

Universal cleaning brush for shops, entrances etc. For tiles and synthetic floor coverings. Polypropylene 0,7mm.

19.15310J



Polishing brush 400mm brown (Union)

For polishing wax, emulsions etc. to get a shiny surface. For cleaning synthetic floor coverings. Nature bristles.

19.15330J

Polishing brush 330mm brown for Cleaner

19.15331J

**Shampooer brush 400mm white, soft**

For cleaning synthetic floor coverings, stone and thin carpet.

19.15320J

Shampooer brush 400mm white, soft for Cleaner

19.15332J

**Liquid tank for ROLL single disc machines**

To be installed on the pole of the machine. For applying detergent etc. during the work. Till 7l.

19.15300J

**Diamond grinder RO-125**

15.13562J

Hand grinder with Perles engine. For grinding uneven surfaces of concrete and screed. For removing plaster, rough frameworks, paintings, coatings, lacquer and thin adhesive films. For grinding tiles. Ideal for working close to walls, in edges and on stairs. Light weight and handy design thus you can work without physical fatigue, working overhead possible.

Engine with power reserve, dust protected with long service life. Vacuum system included to connect industrial vacuum cleaners e.g. 19.15055. Due to the spring supported vacuum cover dust can be hovered very efficient.

Machine comes with two-rowed diamond disc 125mm. With metal case.

Technical specifications

Power: 1250 W, 230 V

Rotation: 12000 rpm

Weight: 3,5kg

Disc Ø: 125mm

**Diamond grinder RO-178**

19.14800J

Compare grinder RO-125

With premium two-rowed diamond disc 178mm and vacuum system to connect industrial vacuum cleaners e.g. 19.15040, 19.15056, 19.15055. High area efficiency!

Technical specifications:

Power: 2500 W, 230 V

Rotation: 6500 rpm

Weight: 6kg

Disc Ø: 178mm

**Diamond disc 125mm two-rowed**

19.14321J

For removing cement bonded surfaces, spackle, screed, concrete, plaster, lacquer and coatings. For grinding tiles.

Diamond disc 178mm two-rowed

19.14802J

Please compare 125mm

**Diamond disc 125mm spiral**

17.16460J

Please compare two-rowed diamond disc, but with larger area tipped with diamond, very aggressive.

Diamond disc 178mm spiral

19.14804J

Please compare 125mm

**Diamond disc 125mm 'Synergie'**

17.16465J

For removing adhesive, coatings, paint from concrete, screed, wood and steel. Very aggressive, also of cement bonded surfaces. They are made by PCD (poly-crystalline diamond) tips and Vacuum brazed Diamond powders.

Diamond disc 180mm 'Synergie'

19.14806J

Please compare 125mm



Milling machine 140 mm

For roughening concrete, levelling screed, spackle and plaster. Milling head consists of 15 carbide wheels, with milling depth adjustment. Vacuum system included to connect industrial vacuum cleaners e.g. 19.15040, 19.15055. Comes in carrying case.

17.16600L

Technical specifications

Power: 1200 W, 230 V
Rotation: 2800 rpm
Weight: 5,5 kg
Milling head: ø140 mm
Milling height: 1,0 to 6,0 mm



Set of carbide wheels for Milling machine 140mm

Set of 15 items, pointed shape, bolts included.

17.16620L



Diamond seam cutter

For reconstruction cracks in screed, concrete.

15.13550L

Technical specifications:

Power: 1150 W, 220 V
Rotation: 5000 rpm
Weight: 5,1kg
Carbide blade Ø: 150mm
Cutting depth: 0-55mm
Cutting width: 3,4mm



Carbide blade 150mm for Diamond seam cutter

15.13555L



Clamps

For renovating cracks in screed. In conjunction with 2-components glue, pack of 1000 items.

18.12952F



2-components-glue

Please compare page

18.12950F

**Object vacuum cleaner, 2 engines**

19.15040J

Professional vacuum cleaner with high cleaning power for large areas (absorbs more than 25kg fine grinding dust) With premium filter with 4,5m² filter surface. With overload protection. Recommended to use with single disc machines and vacuum system 19.14208. With Object tool 45cm, tube and rod.

Can also be used for wet vacuum cleaning (conversion kit 86.00175). With fixed squeegee tool for large areas.

Special filter: filter is used instead of dust bags for industrial purpose when there is high fine grinding dust. You save money and time, due to many operating hours. Material: Polyester fleece with best chemical characteristics 260 g/m², 0,6mm. Max. particle from 0,2µ and 2µ according to Stokes.

Technical specifications:

Power, 2 steps: 1900 W, 230 V
 Air flow: 106 l/sec
 Suction pressure: 190 mbar
 Capacity: 58 l
 Weight: 21kg
 Filter surface: 4,5m²
 Measurements: 610x520x920mm
 (BIA-No. 9508410/6210)

**Filter for Object vacuum cleaner**

85.00450J

Ø 270mm, 350mm height, surface area 4,5m². Fixed with clamp 85.00460. High operation hours.

Conversion kit for wet vacuum cleaner

86.00175J

For Object vacuum cleaner 19.15040 and vacuum cleaner Demonio 19.15035. Consists of basket and swimmer.

**Fixed squeegee tool for vacuum cleaner "Object" 60cm**

19.15081J

Recommended from 200m² up, instead of rod. Comes with fixation for Object vacuum cleaner. With exchangeable rubber parts.

**Object tool with rolls 45cm width**

19.15044L

Aluminium case, with 2 brushes, adjustable, wear resistant rolls. With exchangeable rubber or brush.

**Industrial vacuum cleaner 2800**

19.15056N

Professional vacuum cleaner with high cleaning power for large areas. In conjunction with grinding and milling machines. With high developed filter cleaning system – „Air pulse system“ - with negative pressure and air pulse the filter can be cleaned effectively.

Powerful 1400 W engine, 40l container ensures professional applications. **With additional socket and automatic switch ON/OFF to connect electrical machines.**

Dust can be collected within the container or in plastic bags. Object tool, rod and 5m tube are included. With fine and micro filter according to the highest filter class (H).

Technical specifications:

Power: 1400 W, 230 V

Air flow: 190 m³/h

Negative Pressure: 24 kPa

Capacity: 40 l

Weight: 14kg

Fine filter surface: 1,5m²

Micro filter surface: 0,85m²

Filtration efficiency fine filter: 99,9%

Filtration efficiency micro filter: 99,995% (H class)

Measurements: 1032x420x420mm

Suction tube: 5m, Ø38mm

Noise level: 70dB (A)

Plastic bags for Industrial vacuum cleaner 2800
Pack of 10 items

19.15076J



Object tool with rolls 45cm width
For industrial vacuum cleaner 2800

19.15057J

Asbestos admitted filter system upon request!

**Vacuum cleaners with higher suction power e.g. for
Flooring machines with 3 discs upon request!**

**Industrial vacuum cleaner 1800**

19.15055N

Professional and compact version of an industrial vacuum cleaner. Light weight, handy design and powerful for its size. With integrated optical display. With high developed filter cleaning system – „Air pulse system“ - with negative pressure and air pulse the filter can be cleaned effectively.

With additional socket and automatic switch ON/OFF to connect electrical machines.

Dust can be collected within the container or in plastic bags. Object tool, rod and 5m tube and plastic bags are included. With fine and micro filter according to the highest filter class (H), European norm DIN EN 60335.

Technical specifications:

Power: 1200 W, 230 V

Air flow: 190 m³/h

Unterdruck: 21 kPa

Capacity: 20 l

Weight: 10kg

Fine filter surface: 1,5m²

Micro filter surface: 0,85m²

Filtration efficiency Feinfilter: 99,9%

Filtration efficiency Mikrofilter: 99,995% (H class)

Measurements: 740x380x380mm

Suction tube: 5m, Ø38mm

Noise level: 70dB (A)

Plastic bags for Industrial vacuum cleaner 1800
Pack of 10 items

19.15075J



Object tool with rolls 45cm width
For industrial vacuum cleaner 1800

19.15057J

Asbestos admitted filter system upon request!

**Vacuum cleaner Demonio****19.15035J**

The compact, high efficient vacuum cleaner Demonio has especially been developed for dust generating machines, with additional socket 2000 W and switch ON and switch OFF automation, i.e. shortly after switching on the connected machine the vacuum cleaner starts automatically as well as the vacuum cleaner turns off automatically some seconds after turning off the connected machine.

With additional tube and cone adapter to use with electrical machines. With micro filter. Works with dust bags.

Delivery include: tube with rod, tube 5m with cone adapter, object tool with rolls 45cm.

Technical specifications:

Power: 1300 W, 230 V

Air flow: 55 l/sec

Suction pressure: 245 mbar

Capacity: 27 l

Weight: 9kg

Measurements: 500x380x685mm

Dust bags for Demonio**19.15070J**

pack of 10 items

Conversion set for wet vacuum cleaner**86.00175J**

For Object vacuum cleaner 19.15040 and Vacuum cleaner 19.150035. Consists of basket and swimmer.

**Object tool with rolls 45cm width for Demonio****19.15044L**

Aluminium case, with 2 brushes, adjustable, wear resistant rolls. With exchangeable rubber or brush.

**Vacuum cleaner Diavolo****19.15025J**

Professional, medium size, with 3 filter system: micro filter, safety filter and blow out filter. With optical filter display. Lightweight, silent, powerful and user-friendly. For apartments, offices, hospitals, hotels and cars. Works with dust bags.

Delivery include: suction rod, tube and accessories: brush tool, crevice tool and brush tool with rolls.

Technical specifications:

Power: 1300 W, 230 V

Air flow: 50 l/sec

Suction power: 250 mbar

Capacity: 5 l

Weight: 7kg

Measurements: 350x450x375mm

Dust bag for Diavolo**19.15027J**

Pack of 10 items

**Brush tool for Diavolo "Turbo"****19.15023J**

28cm width Ø32mm. For textiles and hard floors. With rotating brush.



Brush tool with rolls for Diavolo

19.15029J


Vacuumatic tool for Diavolo
 Adjustable for carpets or smooth floors.

19.15031J



Crevice tool for Diavolo

19.15028J

**Vacuum cleaner Universal**

19.15020J

Powerful vacuum cleaner with handy design. Can be used on the pole of a single disc machine. For apartments, offices, hospitals, hotels and cards. With micro filter. Works with dust bags.

Delivery include: tube with rod, universal tool brush, crevice tool etc.

Technical specifications:

Power: 1000 W, 230 V

Air flow: 61 l/sec

Suction power: 205 m/bar

Capacity: 5 l

Weight: 6 kg

Measurements: 350x350x430mm

Dust bags for Vacuum cleaner Universal
 Pack of 10 items

19.15140J

Fleece bags for Vacuum cleaner Universal
 Pack of 10 items. Use with dust generating machines.

19.15145J


Brush tools with rolls
 For Vacuum cleaner Universal and Speedy.

19.15090J



Crevice tool for Vacuum cleaner Universal and Speedy.

19.15091J


Vacuumatic tool
 For Vacuum cleaner Universal and Speedy. Adjustable.

19.15092J

**Bullystripper**

17.14570H

As always the most functional weapon against old floor coverings! For removing carpets, lino, PVC and CV. Highly efficient machine, used for large areas as well as in flats. With premium switch at the top of the handle. Chassis is included which protects the machines and helps to transport it. With FEIN engine and robust parts for long service life.

Set of blades included:

2 x 17.14580 60x210mm

1 x 17.14590 130x210mm

1 x 17.14592 60x210mm U-shape

Technical specifications:

Power: 2000 W, 230 V

Weight: 14,5kg

Working width: 210mm

Machines 110 V upon request!

**Blade for Bullystripper 60x210mm**

17.14580H

Standard blade for universal use

**Blade for Bullystripper 130x210mm.**

17.14590H

For softer floors

**Jumbo blade for Bullystripper**

17.14595H

Teflon coated, waved, recommended for carpet with felt back, PVC and lino.

**U-blade for Bullystripper**

17.14592H

60mmx210mm in U-shape. Due to the 90° bent edges cutting strips is not necessary.

**Handstripper**

17.14505H

Powerful hand stripper for removing carpets, lino, PVC and CV from stairs and places which are difficult to reach. In addition to Bullystripper.

With Perles engine and robust parts. Blade included. With metal carrying case.

Technical specification:

Power: 1250 W, 230 V

Weight: 5,1kg

Working width: 145mm trapezium

**Blade for Handstripper 145mm trapezium**

17.14511H



Clamp de luxe

17.14630H

**Stratomobil**

17.14700O

Professional stripper machine for large areas. For removing stucked floor coverings, also parquet. Very user-friendly due to self-propelled system (forward and backward). With almost maintenance-free hydraulic components. Extremely quiet, weights removable for easy transport. Set of blades included, with extension cable, tools.

Technical specifications:

Power: 1,1 kW, 220 V

Weight: 157kg (together)

Additional front weight: 17kg

Additional side weights: 10kg + 15kg

Working width: 305mm

**Blade for Stratomobil self-cutting**

17.14701J

305x75x1,5mm, for soft floors e.g. PVC, rubber, lino and carpets

**Blade for Stratomobil 15°**

17.14702J

305x75x1,5mm, very aggressive due to 15° bending

**Blade for Stratomobil flat**

17.14703J

305x75x1,5mm, universal use

**Mastermobil**

Professional stripper machine, self-propelled (forward). Almost maintenance-free hydraulic components. Extremely quiet, adjustable speed. Ideal stripper machine for medium size objects. Set of blades included, with extension cable, tools.

17.148000

Technical specifications:

Power: 0,7 kW, 220 V

Weight: 93kg (together)

Additional front weight: 14kg

Working width: 230mm

**Blade for Mastermobil self-cutting**

230x75x1,5mm for soft floors e.g. PVC, rubber, lino and carpet

17.14801J

**Blade for Mastermobil 15°**

230x75x1,5mm, very aggressive due to 15° bending

17.14802J

**Blade for Mastermobil flat**

230x75x1,5mm, universal use

17.14803J

FEIN Supercut Construction

19.14905O

Professional hand tool with a wide range of accessories. With oscillating power and stepless frequency adjustment. Delivery in metal case, set consists of 10 E-Cut sawing blades, 1 depth stop, 1 adapter, 1 sanding pad, 5 sanding papers grit 80,120, 180 each, 1 wrench. Supercut can be upgraded with vacuum system for dustfree work.

Technical specifications:

Input: 400 W
 Output: 220 W
 Oscillations : 11000-18500/min
 Weight: 1,25kg
 Cable: 5m

**Adapter for Supercut**

19.14927O

Necessary to use sanding pad 19.14936 etc.



E-Cut 35mm with standard saw blade for Supercut

19.14949O

E-Cut 65mm with standard saw blade for Supercut

19.14938O

Crossed tooth for all wood, plasterboard, and plastics jobs. Length 50mm.



E-Cut 28mm with Bi-metal teeth for Supercut

19.14939O

Cranked, also suitable for radii, high speed cut, sheet metal (400N/mm²) up to 2 mm and plastics, aluminium profiles, copper pipes, wood, plasterboard, and almost all plastics. Length 60mm

**Scraper 50mm for Supercut**

19.14928O

For removing floor coverings, coatings and adhesive. Pack of 2 units

**Sanding pad**

19.14936O


For Multimaster and Supercut, undrilled, set of 2 units



Sanding papers for Multimaster and Supercut (mit Adapter), Pack of 50 units, undrilled

Grit 40
 Grit 60
 Grit 80
 Grit 100
 Grit 120

19.14931O
 19.14932O
 19.14933O
 19.14934O
 19.14935O



Segment blade HSS for Multimaster Ø 80mm

19.149420

Saw blade HSS for Multimaster
Ø 90mm for cutting wood and sheet metal

19.149440


E-Cut 65mm for Multimaster
E-Cut 35mm for Multimaster
 With saw teeth for wood, gypsum carton, soft plastics.
 Cutting depth 50mm.

19.149370

19.149450


E-Cut 29mm with Bi-metal teeth blade for Multimaster
 Cranked, also suitable for radii, high speed cut, sheet
 metal (400N/mm²) up to 2 mm and plastics, aluminium
 profiles, copper pipes, wood, plasterboard, and almost all
 plastics. Length 60mm

19.149290

Scraper Eco 250mm
100mm width

15.12640D


Scraper Allway 250mm
Scraper Allway 500mm
 100mm width. With one single turn can be the blade
 arrested or loosen.

15.12650D

15.12645D

**Blade for Eco and Allway**, 100mm width, pack of 100 items

15.12600D


Floor scraper with telescopic handle
 Very solid quality, length 97–175cm, width 210mm.
 Scraper head is slightly inclined toward telescopic handle
 ensuring easy work.

15.12655D

Spare blades for Floor scraper 210mm, pack of 10 items

15.12657D

Floor scraper red
 With steel rod, length 150cm, width 300mm.

15.13490D

Spare blade 300mm

15.13491D

**Nail puller 800mm**

Solid quality, universal use e.g. for removing hard floors.

15.13495J

**Hand scraper 70mm, sharpened**

15.13330D

**Hand scraper 80mm very robust**

With thick blade and reinforced ending for hammer use.

15.13328D

**Grinding „Boy“**

With holding device for rods. Made of silicium carbide Ø 180mm grit 36

19.13450J

Spare grinding stone for Grinding „Boy“

19.13460H

**Hand grinding stone**Made of silicium carbide, 50x50x200mm
grit 20
grit 40

19.13479H

19.13480H

**Grinding flash**

With handle 200x100x35mm, of Silicium carbide, very aggressive.

grit 36
grit 20

19.13481H

19.13482H

**Grinding block with tungsten carbide**

200x100x20mm. Can be used also in upright position with 19.13590.

grit 24
grit 36

19.13485H

19.13486H

**Grinding plank 280mm with tungsten carbide**

With exchangeable grinding plank, 280x140mm. Can be used also in upright position with 19.13590.

grit 24
grit 36

19.13550H

19.13555H

Spare grinding plank 280mmgrit 24
grit 36

19.13565H

19.13570H

**Holding device**

For working in an upright position for grinding block/plank. Joint can be fixed in the handle. Delivery includes: rod and joint. Suitable for 19.13550/55 and 19.13485/86.

19.13590H


Broom with horse hair 60cm
 Without rod

15.14360H


Broom with plastic material „Arenga“ 60cm
 Without rod

15.14361H

Steel rod for brooms and spreading knife

15.14364H

Telescopic rod

Till 2m length. For spreading knives and rolls.

19.15815H

**Laminate board cutter Straticut**

For cutting laminate boards and MDF, simple and fast application within seconds. For material from 6 to 12mm. Dustfree and without electrical connection.

15.12952L

Technical specification:

length: 68cm, weight: 6,5 kg
 max. cutting width: 210mm
 support stand included.

Basin for Laminate board cutter Straticut

15.12953O

**Parquet shunting tool 55mm**

Solid model, with plastic anvil.

19.15701H

**Parquet shunting tool 43mm**

Solid model, with plastic anvil.

19.15700H

**Beating tool 6mm**

6mm x 400mm for laminat

19.15705H

**Beating tool 11mm**

11mm x 400mm for parquet

19.15706H

**Beating tool flat**

400mm for floating laid parquet

19.15707H

**Beating tool „Universal“**

With 2 working edges, 300x70mm

19.15704H

**Distance holder for screwing**

For laying parquet and laminate. Per unit.

19.15725J

**Distance holder „Spacer“**

Red, pack of 20 items.
 Flexible Adjustment von 8 to 15mm distance – just press two parts together.

19.15755H

**Parquet stripping blade**

Blade of hardened steel, sharpened, with wooden handle.

40 mm
60 mm
90mm

19.15730F
19.15740F
19.15750F
**Parquet scraper 60mm** with carbide blade

19.15770F

Spare blade for Parquet scraper, set of 3 units

19.15775F

**Parquet repairing set out of the tube**

Parquet colours out of the tube for repairing and jointing seams in wooden materials and parquet. It helps to prevent the sealing from running. Elastic 1-component sealing compound. Easy to handle, newly applied it can be removed with water and smoothed. Can also be used as filling compound in conjunction with flooring profiles. After hardened the material is resistant against water, detergent and middle chemicals. You can sand it and it is elastic.

Beech
Oak
Maple
Cherry
Bog oak
Mahogany

18.13100F
18.13110F
18.13105F
18.13115F
18.13120F
18.13125F
**Flex spatula**

Slightly rounded for applying coatings, stainless.

200 mm
270 mm
350mm

15.13088F
15.13089F
15.13087F
**Undercut saw Door-Trimmer**

15.12945L

Powerful and versatile undercut saw. Undercuts walls, jambs, corners and even most toe-spaces. Can fully undercut most doors in place. Carbide blade, carrying case, spanner wrench included.

Technical specifications:
Power: 930 W, 230 V
Rotation: 8000 rpm
Carbide blade Ø: 168mm
Weight: 6 kg
Cutting depth: 0 bis 25mm
**Carbide blade** for Door-Trimmer Ø 168mm

15.12947L

**Mitre Saw - multi-purpose machine**

Allrounder! With induction motor and thus runs very quiet, with long service life. Comfortable use due to the fast stop of the sawing blade and the clamping device. With slip-proof feet. Premium carbide blade 250mm with 40 teeth negative included.

Technical specifications:

Power: 1600 W, 230 V, 50 Hz
 Rotation: 3000 rpm
 Cutting length/-height: 300mm/60mm
 Cutting length/-height 45°: 212mm/60mm
 Head adjustable: 45°
 Measurements: 700x460x500mm
 Weight: 20kg

15.12965L

Carbide sawing for Mitre Saw

250mm negative for cutting aluminium, copper and brass

15.12957L

**Mohair roll**

250mm without bow

19.15801F

**Parquet roll „Pacific“**

For water based lacquer 250mm without bow

19.15803F

**Standard sealing roll**

250mm without bow

19.15811F

**Precoat roll „Industria“**

Premium modelv 250mm without bow

19.15810F

**Bow for 250mm rolls**

19.15813F



Precoat and adhesive roll
250mm with bow and unroll grid

19.15805F

Telescopic handle till 2m

19.15815H

**Lino strip cutter "Vario"**

Professional tool for strip cutting of lino, PVC and rubber floors, from 0 till 100mm. Can also be used as an Edge trimmer. Stepless adjustment of the cutting width, due to the extension bar even till 350mm. Ergonomical design. With the unique ROLL-3-blade system – due to the slightly inclined blades can be cutted very easily.

15.12421J

**Extension bar for "Vario"**

for stripes till 350mm width. Short bar can be exchanged. Works also with ROLL-3-blade-system.

15.12424J

Spare blades for 15.12421, pack of 20 blades

15.12423J

**Linocutter**

Professional seam cutter for lino and PVC. Overlaying lines of lino can be slit and cut exactly in the right position of the underlaying material. Works in both directions. Stepless adjustment of cutting depth and cutting width.

15.12635L

Spare blades for 15.12635, pack of 10 units

15.12638H

**Lino edge trimmer**

For cutting the production edge

15.12444H

Spare blade for 15.12444, pack of 5 units

15.12445H

**Floor scriber**

Combind version, can also be used as short scriber for base boards. Pointed blade and needle included.

16.14060H

Pointed blade for 16.14060, pack of 5 units

16.14061H

Needle for 16.14060, pack of 10 units

16.14062H

**Scriber for walls 370mm**

With needle

16.14065J

**Scriber for walls 385mm**

With needle

16.14067J



Height scribe with pencil
Solid model

16.14051J



Corner Knife
For exchangeable special blades for individual applications. (handle without blades)

16.13984J

Spare blade no. 1, pack of 2 units
Spare blade no. 2, pack of 2 units
Spare blade no. 3, pack of 2 units
Spare blade no. 4, pack of 2 units

16.13988J
16.13986J
16.13987J
16.13985J



Hand groover with 5 blades

16.13950F

Spare blades for Hand groover 16.13950, pack of 10 units

16.13960F



Hand groover for safety floors

16.13981H

Spare blades for Hand groover 16.13981, per unit

16.13982H



Hand groover
with leading nose and 3 blades

16.13965H

Spare blades J-shape for 16.13965, pack of 10 units

16.13966H



Hand groover for rubber and PVC with U-blade

16.13970J

Spare blade for Hand groover 16.13970, pack of 10 units

16.13980J



Triangle scraper with 60mm blade

16.13989F

Spare blade 60mm for 16.13989

16.13994F



Triangle scraper with carbide blade for corundum safety floors.

16.13968F

Spare blade for 16.13968

16.13969F

**Grooving machine Easy 5000**

16.13670J

For grooving all kinds of vinyl floors, lino and rubber. Very handy machine which follows uneven floors easily and guarantees professional grooving results. Powered with gear ensures constant rotation. With stepless adjustment of grooving depth. Side wheel adjustable. With vacuum system to connect vacuum cleaners for chip free work. With metal case and carbide blade.

Technical specification:

Power: 830 W, 220 V

Rotation: 5000 rpm via gear

Weight: 4,5 kg

Carbide blade: 130mm, 12 teeth

Cutting depth: 0 - 5,0 mm

**Carbide blade** for Easy 5000

16.13680J

130x3mm, 12 teeth

**Diamond blade** for Easy 5000

16.13690J

130mm, for corundum safety floors

**Leister Welding machine Unifloor Hightech**

16.13892O

For welding PVC, rubber, lino and modified thermoplastics. With potentiometer and digital display for all important welding parameters. With integrated wall switch and automatic start. Unwind construction and squeezed welding nozzle included and thus applicable for all floor coverings. Electronically controlled heating and steplessly controlled air flow.

Technical specification:

Power: 2300 W, 230 V, 50/60Hz

Temperature: 20 - 620°C stepless

Air flow (20°C): 300 l/min

Speed: 1,0 - 7,5 m/min

Air flow range: 50 - 100%

Noise emission level LpA: 67 dB

Size (LxBxH): 420 x 270 x 215mm

Weight: approx. 11kg

3m cable

Leister Welding machine Unifloor Lowtech

16.13893O

Lighter version of Unifloor Hightech.

Metal case for Unifloor

16.13890O

**Welding car**

Professional tool to work with hand hot air tools easier. For welding PVC and lino. For short lanes as well as large areas. Due to the rubber clip all customary hot air tools (Leister Triac, Forsthoff, Steinel) can be fixed fast and easily. Due to the front and back rollers the system can lead stabilised in the grooved seam. Working angle adjustable. For cooling the hot air tool, just tilt system backwards.

16.13795L

**Welding system 1**

Welding car with hot air tool TriacS, round nozzle and quick welding nozzle included.

16.13880N

**Welding system 2**

Welding car with hot air tool Steinel, round nozzle and quick welding nozzle included.

16.13881L

**Leister hot air tool Triac S**

For welding PVC, rubber, Polyolefin and lino. Ideal for use in Welding car 16.13795

16.13790N

Technical specification:

Power: 1600 W, 220 V

Temperature: 20–700 °C, stepless adjustable

With Round nozzle 16.13830

**Metal case for Triac S**

16.13820N

**Hot air welding case Roll**

Case with Leister hot air tool Triac S (16.13790), Hand groover (16.13950), Quick welding nozzle (16.13860), Quarter moon knife (16.14040), Trim guide (16.14050), Round nozzle (16.13830) and Diamond sharpening stone (16.13865)

16.13791N

**Steinel Hot air tool Universal**

16.13920N

For welding PVC, rubber, Polyolefin and lino. Ideal for use in Welding car 16.13795

Technical specification:

Power: 2300 W, 230V/50Hz

Temperature: 50-600°C, stepless

Air flow: max 600 l/min

Air pressure: 3000 Pa, stepless

With round nozzle 16.13830

**Round nozzle**

16.13830L

Used as an adapter for special nozzles.
(in ROLL hot air tools included)

**Radiator nozzle**

16.13785L

For welding under heaters and stairs. Due to the bent nozzle the hot air tool can be used in horizontal position. In conjunction with special nozzles.

**Quick welding nozzles**

5mm: for 4mm welding wire

4mm: for 3mm welding wire

16.13860L

16.13859L

**Quick welding nozzle „Tarkett“**

16.13856L

For welding glanzanfälligen PVC floor coverings, thin wall coverings. Due to the tight slot (2mm) the air flow can be blown directly in the grooved seam.

**Welding nozzle „Special“**

16.13780L

For welding bright PVC floors. With very thin tip. Use in conjunction with Pressure roller.

**Nozzle „Mipolam PO 6E.30“**

16.13782L

For welding Polyofin flooring. With very long slot, with additional hole at the bottom to warm the grooved seam. In conjunction with Pressure roller.

**Pressure roller concave**

15.13650L

In conjunction with special nozzles, for pressing welding wire.

**Pressure roller convex**

In conjunction with special nozzles, for pressing welding wire, for angles and bases.

16.14010L

**Erasure**

80x50x20mm. Recommended for removing slightly burned or shining stains. For grinding, polishing, matting or cleaning metal, paint, wood, ceramic and plastic materials.

16.13861L

**Quarter moon knife**

For trimming welding wire. Both sided sharpened.

16.14040L

**Quarter moon knife, angled**

For trimming welding wire. One side sharpened.

16.14041L


**Leather case** for quarter moon knives

16.14042L

**Trim guide**

For quarter moon knives

16.14050L

**Diamond knife sharpener**

Double sided grit 400 and grit 600, 150x60mm. For sharpening knives, quartermoon knives etc. With antislipping underlay.

16.13865L

**Lino roller**

Zincd

4-parts, 50kg, 500mm width
3-parts, 34kg, 370mm width

Additional weights upon request!

15.13620L
15.13630L



Transport cradle for Lino roller 50kg

15.13635L



Steel pressur roller 400mm width, zined 5kg, Ø50mm

15.13690F



Pressure cork 300x120x25mm

15.13510F



Pressure hammer

Of one piece, forged, with polished claw hammer

15.12840F

**Cold welding liquid 1 litre**

Premium cold welding liquid for cold welding of PVC and CV, recommended of all well-known manufacturers. In conjunction with Nozzle 1, for 300 – 400m seam.

16.14100H

**Working tool with Nozzle 1**

For Cold welding liquid, for new, tightly cut seams (<1mm).

16.14090H

**Working tool with Nozzle 2**

For Cold welding liquid and for Repair paste, for old, badly cut seams, shrinkings and PVC base weldings. (>1mm).

16.14120H

**Working tool with Nozzle 2 special**

For Repair paste, for PVC wall coverings. Extra wide nozzle.

16.14150H

**Repair paste 1 litre**

In conjunction with Nozzle 2 and Nozzle 2 special. For approx. 150 - 200m Naht

16.14130H

**Cleaning bottle**

With cleaning liquid for cleaning and storing nozzles of working tools.

16.14160H

**PVC Paste remover 1 litre**

For cleaning and matt finishing of shining seams

16.14170H

**PVC welding liquid in tubes**

Premium cold welding liquid for cold welding of PVC and CV, recommended of all well-known manufacturers. For approx. 25m seam, 50 g per tube.

Nozzle 1 for new, tightly cut seams

Price per tube
Price per box of 30 tubes (save 5%!)

16.14180H

Nozzle 2 for old, badly cut seams

Price per tube
Price per box of 30 tubes (save 5%!)

16.14190H

**CCM – measuring instrument**

20.14390L

Calcium-Carbide-measuring-instrument for measuring moisture in screed.
 With shock-proof manometer. Direct reading of the CM%.
 Including: 20 carbide ampoules included, 100g spring scale, beaker, hammer, lump hammer, flat chisel, steel ball set (4) and accessories. In metal carrying case.
 Digital manometer and printer upon request.

Carbide ampoules for CCM, pack of 20 units

20.14400L

Carbide ampoules for CCM, pack of 100 units

20.14410L

Testing ampoules 10 x 1 gram

20.14391L

**Caisson Moisture indicator**

20.14420L

Very easy to use – switch ON – apply to the surface – read off digital result – compare with chart.
 Especially for concrete and screed, as well as wood. Non destructive measurement. Digital LCD. Measure depth till 3cm. Measure sensor located at the bottom.
 Automatic power switch OFF. With battery. Soft leather carrying case included.

Ideal pre-tester for CCM to get the moistest area.

**Caisson Thermo and Hygro meter**

20.14422L

Very easy to use – switch ON – adjust temperature or humidity measuring – lift in the air – read digital result.


For fast measuring of air temperature and air humidity, measuring in °C or F. With dewpoint table on the rearside of the measuring instrument. Automatic power switch OFF. With battery. Soft leather carrying case included. With calibration certificate.

Temperature: from -10 till +50°C

Humidity: from 5% to 99%

Humidity tolerance: +/- 2%

Temperature tolerance: +/- 0,3 °C

**Surface temperature sensor for 20.14422**

20.14423L

For exact measuring of the surface temperature and thus dew point. For plugging in Caisson Thermo and Hygro meter.


Caisson Wood moisture meter

20.14417L

For measuring moisture in wood (different types of wood adjustable). Also through foils possible. Measuring without damaging the wooden surface. Measuring depth till 2cm. Can also be used for window frames. Non destructive measurement, LCD display, with last measurement memory. Automatic power switch OFF. With battery. Soft leather carrying case included.


Hydromette Compact B

20.14610N

For measuring moisture in building materials, without damaging any surface. Very easy to use, with universally applicable ball sensor. In pocket size. With digital LCD. With battery. Ideal pre-tester for CCM to get the moistest area.


Testing set

20.14415O

Consist of: 1. Caisson moisture indicator 20.14420, 2. Caisson Thermo and Hygro meter 20.14422, 3. adjustable water-level with shims for measuring height differences, 3. Surface Hardness tester and 4. pocket rule. In carrying bag.


Leica Disto A2

20.14450O


Distance measuring instrument with laser. Compact and handy base model offers shortcut keys for addition, subtraction, area and volume calculation. It is very easy to hold due to its compact and ergonomically size. In pocket size. Can also be used outside (till 60m).

- digital LCD
- With battery, 1 x 9 V
- Inclusive carrying bag
- Measurement range 5 cm till 60 m
- Accuracy +/- 1,5 mm
- Size : 124 x 55 x 31 mm
- Weight: 150 g


Strait Line Laser

20.14460L

Handy liner for projecting laser beams onto floors and walls. Very helpful tool for all kind of jobs. With built-in bubble.

**Surface hardness tester "RO-RI"**

For measuring of surface bonds and strength according to „scribe fences“. Consists of 2 parts, stainless sheet and hard metal pencil (with 5 spare pencils)

16.14075F

**Measuring wedge**

Aluminium 0-20mm, for measuring uneven subfloors

15.12313F

**Steel angle**

100 x 50cm zincd

15.13520F

**Straight steel edge with facet**

205cm zincd, solid model

15.13530N

**Adjustable threshold ruler**

Extendable 75 – 110cm, stainless

15.13540J

**Steel ruler**

Stainless, bomb shape, 8cm width
205cm lenght
405cm lenght
505cm lenght

15.13590F

15.13600F

15.13610F

**T-head 50cm**

For 90° angles, for steel ruler 8cm

15.13588F

**Stair bevel**

In pipe

16.14080H



Abrasive disc for single disc machines Ø 380mm

Double sided, in conjunction with drive disc 19.14211, pack of 10 units

Grit 16	19.14220F
Grit 24	19.14230F
Grit 30	19.14231F
Grit 40	19.14240F
Grit 60	19.14250F
Grit 80	19.14260F
Grit 100	19.14270F
Grit 120	19.14267F
Grit 150	19.14268F
Grit 180	19.14269F



Abrasives for single disc machines Ø 410mm

Double sided, in conjunction with drive disc 19.14212, pack of 10 units

Grit 16	19.14271F
Grit 24	19.14272F
Grit 40	19.14273F
Grit 60	19.14274F
Grit 80	19.14275F



Super pads 20mm thick, Ø 406mm

Used with Pad holder 19.15340. From „black“ till „white“ abnehmende/reducing hardness density. Pack of 5 units.

Black - for rough cleaning, not for wood and marble	19.15350F
Green - for cleaning	19.15360F
Red - for softer cleaning	19.15370F
Beige - for waxing, polishing and sensitive cleaning	19.15380F
White - for polishing	19.15390F

Super pads 20mm thick, Ø 330mm for Cleaner

Used with Pad holder 19.15341. Pack of 5 units

Green	19.15362F
Beige	19.15392F
White	19.15382F



Normal pads 8mm thick, Ø 406mm

Used with Pad holder 19.15340. pack of 10 units.

Black	19.15351F
Green	19.15361F
Beige	19.15381F
White	19.15391F



Sanding nets Ø 410mm

Used with Pad holder and Pads. Pack of 10 units.

Grit 60	19.15400F
Grit 80	19.15410F
Grit 100	19.15420F
Grit 120	19.15430F
Grit 150	19.15435F
Grit 180	19.15440F


Sanding belts 750x200mm

Standard size suitable for all parquet sanders. Premium quality for professionals. Pack of 10 units.

Grit 24	24.00024H
Grit 36	24.00036H
Grit 40	24.00060H
Grit 60	24.00080H
Grit 80	24.00100H
Grit 100	24.00120H
Grit 120	


Zirkon Sanding belt 750x200mm

Zirkon ensures longer service life, very aggressive. Premium quality for professionals. Pack of 10 units.

Grit 24	24.50024H
Grit 36	24.50036H
Grit 40	24.50040H
Grit 60	24.50060H
Grit 80	24.50080H
Grit 100	24.50100H
Grit 120	24.50120H


Sanding belts 480x200mm

Premium quality for professionals. Pack of 10 units.

Grit 24	24.30024H
Grit 36	24.30036H
Grit 60	24.30060H
Grit 80	24.30080H
Grit 100	24.30100H


Sanding disc 178x12mm

Standard size for all edgers. One sided. Premium quality for professionals. Pack of 25 units.

Grit 16	24.10016H
Grit 24	24.10024H
Grit 36	24.10036H
Grit 40	24.10040H
Grit 60	24.10060H
Grit 80	24.10080H
Grit 100	24.10100H
Grit 120	24.10120H


Tungsten carbide disc 178x22mm

For edgers, one sided, per unit

Grit 16	24.24016H
Grit 24	24.24024H
Grit 36	24.24036H



Sanding discs 150x12mm

Standard size for all edgers. One sided. Premium quality for professionals. Pack of 25 units.

Grit 16	24.80016H
Grit 24	24.80024H
Grit 36	24.80036H
Grit 40	24.80040H
Grit 60	24.80060H
Grit 80	24.80080H
Grit 100	24.80100H
Grit 120	24.80120H



Sanding discs with Velcro 150mm

Standard size for all edgers. Premium quality for professionals. Pack of 25 units.

Grit 40	24.81040H
Grit 60	24.81060H
Grit 80	24.81080H
Grit 100	24.81100H
Grit 120	24.81120H
Grit 150	24.81150H
Grit 180	24.81180H



Sanding discs with Velcro 178 mm

Standard size for all edgers. Premium quality for professionals. Pack of 25 units.

Grit 36	24.21036H
Grit 40	24.21040H
Grit 60	24.21060H
Grit 80	24.21080H
Grit 100	24.21100H
Grit 120	24.21120H
Grit 150	24.21150H



Blades in premium „Solingen“ quality, ice-hardened, 0,65mm, pack of 10x10 units = 100 Stück.

Trapezium blade
Trapezium blade large
Hook blade
Hook blade large

15.12450D
 15.12460D
 15.12470D
 15.12490D



Blades with Titan coating in premium „Solingen“ quality, ice-hardened, 0,65mm, Pack of 10x10=100 units. With Triple-Angle-Bevel for easy cut and long service life

Titan Trapezium blade
Titan Trapezium blade large
Titan Hook blade
Titan Hook blade large

15.12455D
 15.12465D
 15.12475D
 15.12495D



Trapezium-Hook blade

Both in one, ice-hardened, 0,65mm, pack of 10x10units = 100units

15.12480D



Conkave blade

ice-hardened, 0,65mm, pack 10x10 units=100 units

15.12485D



Break-off blade 18mm

for Cuttermesser 15.12494, 15.12596,
 pack of 10x10 units =100 units

15.12590D



Break-off hook blade

for Cuttermesser 15.12494, 15.12596,
 pack of 10x10 units=100 units

15.12595D



Spare blades for different cutters

For Universal cutter 15.12400, Stripe cutter 15.12420 and
 Pile cutter 15.12441, pack of 100 units

15.12560D



Spare blade for Loop pile cutter „blue“

For 15.12410, pack of 100 units

15.12580D



Spare blade for Loop pile cutter

For 15.12440, pack of 100 units

15.12570D

**Cutter knife NT 2000**

Premium knife of metal with rapid magazine and 3-break-off-blades 15.12590.

15.12494D**Cutter knife L700**

Premium knife with rapid magazine and 3 break-off-blades 15.12590.

15.12496D**Cutter knife light**

For break-off-blades 15.12590

15.12596D**Shark knife with holster****15.12555D****Delphin knife with holster****15.12550D****Universal knife „heavy“**

Zinc with 5 blades 15.12460

15.12520D**Handle for special lino blades**
(handle without blades)**15.12630J****Special blade no. 22** for 15.12630, pack of 10 units**15.12610J****Special blade no. 25** for 15.12630, pack of 10 units**15.12620J**



Loop pile cutter „red“
 For woven carpets with jute and double back

15.12400D

Spare blade for 15.12400, pack of 100 units

15.12560D



Loop pile cutter „blue“
 For carpets with foam back.

15.12410D

Spare blade for 15.12410, pack of 100 units

15.12580D



Carpet stripe cutter
 For cutting strips for carpet base boards. Adjustable from 4,5cm to 10cm. For cutting put carpet back upside.

15.12420D

Spare blades for 15.12420, pack of 100 units

15.12560D



Carpet shears 8" (20cm)
 One side serrated. „Solingen“ quality

15.12681L



Carpet shears 10" (25cm)
 „Solingen“ quality

15.12690L



Carpet shears 10" (25cm) for left handers
 „Solingen“ quality

15.12700L



Carpet shears 12" (30cm)
 „Solingen“ quality

15.12710L



Nap shears 6'' (15cm)
„Solingen“ quality

15.12720J



Universal shears 8'' (20cm)
„Solingen“ quality, stainless

15.12735J



Shears 10'' (25cm)
stainless

15.12740L



Shears 10'' (25cm)
„Solingen“ quality, stainless

15.12750L



Mitre cut shears
For wooden and plastic profiles, 2 x 45 degree blocks

15.12800H



Mitre cut shears long
For wooden and plastic profiles, 1 x 45 degree and 1 x 90 degree block.

15.12795L



Knee kicker de luxe
Length adjustable

13.11490H



Kombi stretcher
With auto-lock handle

13.11630H



Heat bond iron case
In metal carrying case, includes:

13.11710H

- 1 heat bond iron 13.11720
- 1 flat base
- 1 cable
- 1 roll seaming tape



Heat bond iron 220 V

13.11720H



Super Golden seaming tape 60g
With reflector gold foil for woven carpets, jute material and synthetic back or very rough back. Roll of 50m.

14.11730H



Floor brush
After treatment of ironing

15.11660F



Moulding lifter

13.11650F



Гвоздодеp 250mm

15.12280F



Stair tool 70mm

15.12290F



Carpet seam roller 150mm
With 27 stars

15.11661F



Copper band 0,08 x 10mm self-adhesive
Roll of 50m (2x25m)

19.13944F



Adhesive injection

With bayonet nut connector and 3 replaceable nozzles
(nozzles in 3 different sizes)

15.12330F

Spare nozzle for 15.12330, set of 3 parts

15.12340F



Finishing trowel
Hardened blade, stainless, 280x135mm

15.13350D



Finishing trowel
300mm
400mm
500mm

15.13360D

15.13370D

15.13380D



Finishing trowel flat
Handle tends to the working side and offers a favourable working position. Hardened and polished steel.
400mm
500mm

15.13390D

15.13410D



Spreading knife with notched insert R 1
Wooden frame and with notched insert R1, with rod.

15.13450D



R1 notched insert
560mm 3,0x4,0x1,5mm, pack of 10 units

15.13295D



R2 notched insert
560mm 5,0x4,0x2,0mm, pack of 10 units

15.13281D



R3 notched insert
560mm 5,0x6,0x2,4mm, pack of 10 units

15.13315D



Spreading knife with flat blade
 Wooden frame and 600mm blade, stainless, with rod.

15.13451D



Spiked spreading knife
 With 6 spikes, adjustable from 0 to 20mm, with stainless distance holder. With rod.

15.13455D

Telescopic handle
 Till 2m length for spreading knives etc.

19.15815H



Spiked roller 250mm x 11mm
 With splash guard, 11mm spikes, without rod, suits to telescopic handle 19.15815.

15.13475D



Spiked roller 250mm x 31mm
 With splash guard, 31mm spikes, without rod, suits to telescopic handle 19.15815.

15.13469D

**Spiked roller 500mm x 11mm**

With splash guard, 11mm spikes, without rod, suits to telescopic handle 19.15815.

15.13480D

**Spiked roller 500mm x 31mm**

With splash guard, 31mm spikes, without rod, suits to telescopic handle 19.15815.

15.13483D

**Spiked roller 750mm x 11mm**

With splash guard, 11mm spikes, without rod, suits to telescopic handle 19.15815.

15.13485D

**Hoobnailed boots 25mm**

with 25mm nails and fastening strap with Velcro

15.13460D

Hoobnailed boots 50mm

with 50mm nails and fastening strap with Velcro

15.13462D

**Notched spatula 180mm, pack of 10 units**

A1
A2
A3

15.13056D
15.13050D
15.13051D

B1
B2
B3
B4
B5
B6
B11

15.13057D
15.13058D
15.13054D
15.13067D
15.13055D
15.13053D
15.13045D

Notched spatula 210mm, pack of 10 units



A1	15.13060D
A2	15.13062D
A3	15.13063D
A4	15.13064D
A5	15.13065D
B1	15.13070D
B2	15.13080D
B3	15.13072D
B6	15.13073D
B11	15.13066D

Notched spatula 250mm, pack of 10 units



A1	15.13081D
A2	15.13085D
B1	15.13082D
B2	15.13083D
B3	15.13084D

Overview about notched inserts upon request!

**Levelling spatula**

stainless, height of the side edge is adjustable from 2 to 15mm

15.13086D

**Flex spatula**

Stainless, slightly rounded
200mm
270mm
350mm

15.13088F
15.13089F
15.13087F

**Interchangeable spatula**, pack of 10 units

Blade hardened and polished

180mm
210mm
280mm

15.13090D
15.13160D
15.13230D




Aluquick
(without notched insert)
180mm
280mm

15.13300D
15.13310D



Rubber spatula
300mm for precoating

15.13320D

**Notched inserts 180mm**

Highly wear and tear resistant, pack of 10 units

A1	15.13100D
A2	15.13140D
A3	15.13150D
A4	15.13151D
A5	15.13152D
B1	15.13110D
B2	15.13120D
B3	15.13130D
B4	15.13131D
B5	15.13132D
B6	15.13134D
B7	15.13137D
B10	15.13138D
B11	15.13133D
B15	15.13135D
B17	15.13136D

Notched inserts 210mm

Highly wear and tear resistant, pack of 10 units

A1	15.13170D
A2	15.13210D
A3	15.13220D
A4	15.13221D
A5	15.13222D
B1	15.13180D
B2	15.13190D
B3	15.13200D
B5	15.13202D
B6	15.13204D
B7	15.13207D
B9	15.13208D
B10	15.13209D
B11	15.13203D
B15	15.13205D
B17	15.13206D
S1	15.13223D
S2	15.13224D
S3	15.13225D
S4	15.13201D
C1	15.13226D
C2	15.13227D

Notched inserts 280mm

Highly wear and tear resistant, pack of 10 units

A1	15.13240D
A2	15.13280D
A3	15.13290D
A4	15.13291D
A5	15.13292D
B1	15.13250D
B2	15.13260D
B3	15.13270D
B4	15.13288D
B6	15.13271D
B7	15.13272D
B10	15.13273D
B11	15.13299D
B15	15.13284D
B16	15.13285D
B17	15.13286D
S1	15.13293D
S2	15.13294D


Mixer RO-1800

Powerful mixer with 2 gears enables mixing of high viscosity materials, such as prefab mortar, prefab plaster, cement, lime, concrete, quartz-containing epoxy, screed, pastes, sealing compounds, as well as gypsum and granulates up to 80kg. With comfortable H-handle.

15.12376L

Technical specifications:

Power: 1800 W, 230 V
 Rotation: up to 230 and up to 560 rpm
 Collet: M14
 Weight: 7,2kg
 max. mixing quantity: 80kg
 max. Ø mixing tool: 160mm
 Incl. Mortar mixing tool 160mm


Mixer RO-1300

All-purpose mixer for mixing paint, lime, prefab plaster up to 50kg. With 2 gears and stepless speed adjustment. With metal gearing and ergonomically H-soft handle.

15.12366L

Technical specifications:

Power : 1300 Watt, 230 Volt
 Rotation : 150 - 400 and 250 - 700 rpm
 Collet : M14
 Weight : 4,2kg
 max. mixing quantity: 50kg
 max. Ø mixing tool: 140mm
 Incl. Mortar mixing tool 140mm


Mixer RO-1100

Compact 1 gear mixer for mixing all kinds of building material up to 50kg. With electronically speed adjustment for splash free starts. With metal gearing and ergonomically H-soft handle.

15.12346L

Technical specifications:

Power : 1100 Watt, 230 Volt
 Rotation : 250 - 700 U/min
 Collet : M14
 Weight : 3,6kg
 max. mixing quantity: 50kg
 max. Ø mixing tool: 120mm
 Incl. Spindle mixing tool 120mm


Mortar mixing tool 160mm M 14

Robust mixing tool, all-purpose tool used for all high viscosity materials up to 80kg.

15.12398L


Mortar mixing tool 140mm M 14

Robust mixing tool, all-purpose tool used for all high viscosity materials up to 50kg.

15.12393L


Spindle mixing tool 120mm M 14

Strong mixing tool, all-purpose tool used for all ductile materials up to 50kg.

15.12399L


Round mixing tool 120mm M 14

Special mixing tool for liquid materials with low viscosity. Up to 25kg

15.12381L


3-rod mixing tool 120mm M 14

All-purpose mixing tool for ductile till liquid materials. Mixing bottom-up. Very easy to clean. Up to 80kg.

15.12384L


Basket mixing tool 120mm M 14

Ideal mixing tool for fillers, bitumen coatings, joint cement, grouting compounds, adhesives and sealings. Up to 25kg.

15.12396L


2-wings mixing tool 120mm M 14

Turbo-mixing tool for liquid and spreading materials as adhesives, lacquer, coatings, epoxy. Very strong flow from bottom-up, also when uses with high-speed drives. Up to 50kg.

15.12385L


Cage mixing tool, zinc 120mm SW 10

All-purpose mixing tool for drilling machines, used for liquid and spreading materials. Collet: SW 10, up to 15l, length: 600mm, weight: 700g

15.12380L


Spindle mixing tool, zinc 120mm SW 10

All-purpose mixing tool for drilling machines, used for ductile and viscosity materials. Collet: SW10, 10-15l, length: 600mm, Weight: 1100g.

15.12391L

**Adhesive tape**

Universal use, for aluminium profiles, bases, hooks, mirrors etc. with extreme adhesive strength. Roll of 30m, white.
20 x 1,6mm
25 x 1,6mm

14.12255J

14.12260J

**Super Contact Tape**

Transference adhesive tape, on both sides sticking. On the basis of Acrylat - dispersion. For carpet base with fleece back, with synthetic double back, with textile double back, with latex - foam back, from needle fleece, from ball thread, from weaved carpeted floor. For walls with colour painting, plastic, wood, concrete, ceramics, wallpaper, masonry, metal (untreated).

50 mm x 50 m. box of 6 rolls, price per roll
50 mm x 50 m. box of 6 rolls, price per box

14.00050J

Technical details:

Paste: Acrylat – dispersion
Carrier: Polyester
Cover material: Silicone paper natur
Thickness: approx. 0.44 mm
Glue strength: DIN EN 1939-C 40 N / 25 mm
Mole firmness dynamically: inside 20 N / cm²
Temperature range: from -30 to +120 ° C
Ageing permanence: very well
Tenderizer permanence: very well
Glue quality: aggressively sticking

**Contact Tape**

For skirting boards, walls with colour painting, plastic, wood, concrete, ceramics, wallpaper, masonry, metal (untreated).

50 mm x 50 m. box of 6 rolls, price per roll
50 mm x 50 m. box of 6 rolls, price per box

14.00020J

Technical details:

Paste: Acrylat – dispersion
Carrier: Polyester
Cover material: Silicone paper natur
Thickness: approx. 0.20 mm
Glue strength: DIN EN 1939-C 35 N / 25 mm
Mole firmness dynamically: inside 25 N / cm²
Temperature range: from -30 to +120 ° C
Ageing permanence: very well
Tenderizer permanence: very well
Glue quality: aggressively sticking

**ROLL anti-slip tape**

For the transfer on slippery surfaces, e.g., in the input area, in humid rooms, as well as in the undeveloped outskirt area. Self-adhesive, very rough plastic tape with granulate material coats. Durability and wear firmness of industrial diamonds. Resists most chemicals, resistant to temperature from -20°C to +60°C.

50mm width, black, roll of 18,3m
50mm width , transparent, roll of 18,3m
50mm width , grey, roll of 18,3m

14.11160F

14.11161F

14.11165F

Further colours, also Neon and night-radiant upon request.

**Spray adhesive**

18.12960H

Universal use in aerosols, for permanent and temporary adhesion. For paper, carton, wood, thin veneers, cork, leather, textiles, felt, foam, styrofoam, rubber etc. (except PVC and polyethylene).

Temperature: from -20 to +65°C

Box of 12 units, containing 500ml each

**PU-assembly adhesive**

18.12985H

Solvent free, 1-component adhesion. Very fast curing and extreme strength adhesion. Can be ground and varnished after curing. Suitable for all kind of building materials: base boards, door cases, wood, metal and stone, hard PVC. Heat resistant till +110°C, water proofed according to DIN EN 204 - D4. Recommended to use for undrilled metal profiles because of flexible curing. Box of 12 units, containing 470g each.

**Cartridge pistol**

18.12995D

for cartridge 18.12985

**Two Component adhesive**

18.12950F

Consists of adhesive and hardener. For fixing grippers and for renovating cracks in floor pavement. For all sub-floors. Setting time approx. 15min.

**Recessed head screw**

pack of 200 units

brass-plated 3x30mm

nickel-plated 3 x 30mm

bronze 3 x 30mm

21.12161D

21.12181D

21.12201D

**Countersunk recessed head screw**

pack of 200 units

brass-plated 3 x 30mm

nickel-plated 3 x 30mm

bronze 3 x 30mm

21.12301D

21.12311D

21.12321D

**Dowels**

S5—for 3mm screws, pack of 200 units

21.12325D

**Steel nails blank** 1,5 mm, pack of 1000 units

TEC-steel nails

20 mm

25 mm

30 mm

35 mm

45 mm

21.12030F**21.12040F****21.12050F****21.12060F****21.12080F**



Mask
Made of fleece, pack of 50 units

22.12962F



Breathening protection mask P1
According to EN 149, protects against irritant, protects up to the 4-fold MAK value by lovely, itchy fine dust and watery aerosols, e.g., cement dust, colour, rust, water varnish, dispersion paints. Pack à 20 pieces

22.12963F



Breathening protection mask P3
According to EN 149, protects up to the 30-fold MAK value against toxic and very toxic steady particle and watery aerosols, e.g., asbestos, carcinogenic materials. Recommended from the professional association. With elastic band and breathe out valve. Pack á 5 pieces

22.12965F



Ear protection
According to EN 352, light and comfortable. With foam earplugs. Pack of 10 units.

22.12970F



Knee pad with transparent cup
With gel pad for comfortable use. Extra wide soft strap with Velcro. Pair.

15.11705F



Knee pad "Standard"
With thick rubber pad, very comfortable, with two straps with Velcro. Wear-resistant. Pair.

15.11712F



Knee pad „Medico“
Medical knee pad, recommended from professional organisation. Pair.

15.11677F



Pocketable knee pads

For dungarees, enduring elastic and soft, pad = 25g, 230x185x14mm. Pair.

15.11715F



Leather bag

48x16x32cm. Solid model with metal coverings, edges reinforced, with adjustable mounting strap.

22.14440J


**Object felt black**

12.11400F

For stretched carpets. For high comfort. Prooved for chair rolls. Also recommended for hotels.

Technical specifications:

Material: 100% impregnated mixed fibres
 Weight: approx. 700g / m²
 Thickness: approx. 6 mm
 Width: 200cm
 Length: 30m = 60m²
 Reduction of impact noise: 27dB
 Thermal transfer resistance: 0,23kW

**Egalsoft – underlay felt for gluing carpeting floors**

12.11420L

For excellent comfort, can be used in appartements and hotels. Underlay for glued carpets. Egalsoft consists of 3 layers: adhesive back, comfortlayer and stabilization layer with antislipping underside. Prooved for chair rolls.

Technical specifications:

Weight: approx. 850g / m²
 Thickness: approx. 6,5 mm
 Width: 137cm
 Length: 22m = 30,14m²
 Reduction of impact noise : 27dB
 Insulation of thermal resistance: 0,22 m² kW

**Allstop Beige**

The non-slip rug underlay, prevents rugs from moving on carpets, PVC, parquet and ceramic floors.

Technical specifications:

Weight: approx. 170g/m²
 Thickness: 2-3mm,
 Material: polyester

800mm, 50m per roll, 40m²
 1200mm, 50m per roll, 60m²

12.11870H
 12.11880H

**Allstop Plus**

The non-slip rug underlay prevents rugs from moving on carpets, PVC, parquet and ceramic floors. The Swiss Quality product! Offers more comfort and avoids risk of stumbling. Very easy to lay. Sound absorber, suitable for floor heating.

Technical specifications:

Weight: 450 g/m², Thickness: 5-6mm.
 Material: polyester

800mm, 25m per roll, 20m²
 1200mm, 25m per roll, 30m²
 1500mm, 25m per roll, 37,5m²
 1900mm, 25m per roll, 47,5m²
 2400mm, 25m per roll, 60m²

12.11940H
 12.11950H
 12.11960H
 12.11970H
 12.11980H

ROLL Chairmats

ROLL Chairmats are of Polycarbonate and protect all kinds of floor coverings. Features: odourless and totally emission-free, free of PVC or vinyl, 100 % recyclable, UV-stabilized, ideal for allergy sufferer, extremely strong, suitable for floor heating system, proofed to chair rolls, 10 years warranty.

**ROLL Chairmats of Polycarbonate, smooth**

With non-slip coating at the bottom. For parquet, PVC, lino and all other smooth surfaces. 2mm thickness.

925x1200mm	12.11450A
1000x1200mm	12.11451A
1150x1200mm	12.11452A
1500x1200mm	12.11453A
1850x1200mm	12.11454A
2000x1200mm	12.11455A
3000x1200mm	12.11456A
Round Ø 1000mm	12.11457A

Coloured or printed mats upon request!

**ROLL Chairmats of Polycarbonate with spikes**

For carpets

930x1200mm	12.11500A
1000x1200mm	12.11505A
1150x1200mm	12.11510A
1500x1200mm	12.11515A
1850x1200mm	12.11520A
2000x1200mm	12.11525A
3000x1200mm	12.11530A



All sizes are available with cut-out, alongside or broadside. Within sizes 3000x1200mm every form is available according to drawing.

Cut-out per chairmat

10.00004

Special cut-outs and forms upon request.

ROLL Antistatic Chairmat smooth

For parquet, PVC, lino and thin carpets. Material: grey rubber. With grounding cable. 10⁶ Ohm

1000x1200mm	12.11442A
1500x1200mm	12.11444A
2500x1200mm	12.11446A

Further sizes upon request!

IFTODE UNIVERSAL SNC

Galati, Romania

Office I

Adresa: Bld. George Cosbuc nr.350

Telefon/Fax: 0236/325 382

E-mail:office350@universalconstruct.ro□□□□

Office II

Adresa: Bld. George Cosbuc nr.156

Telefon/Fax: 0236/310 555

E-mail:office156@universalconstruct.ro□□□□

Office III

Adresa: Bld. George Cosbuc nr.416

E-mail:office416@universalconstruct.ro

www.universalconstruct.ro