

# The right tiles for every building.

Each building is as unique as the people who will live there. That is especially true of the roof. ERLUS gives you a wide range of design options for your roof: classic, historical or modern shapes, a great variety of colours, and special solutions for restoration work or challenging designs. In these pages, discover the huge diversity of shapes and colours in the range of Ergoldsbach ceramic roof tiles — for a unique, unmistakable house.

	UNIVERSAL Get to know our popular and proven classics in all their variety.	<b>PAGE</b> 4–7
	LARGE AREAS Highly economical due to low needs.	8-11
[1]	<b>RESTORATION</b> Fulfill the requirements of all kinds of restoration projects – quickly and flexibly.	12-15
	<b>HISTORIC</b> Materials that meet all modern standards and preserve what is historic.	16–19
	MEDITERRANEAN Enjoy southern flair with typical Mediterranean shapes and colours.	20–21
Design Award Winner reddot design award	<b>DESIGN</b> Enhance sophisticated construction projects with our award-winning roof tiles.	22 – 25
ERLUS LOTUS 🔾	SELF-CLEANING  Done with dirt! ERLUS LOTUS® — the first self-cleaning roof.	26 – 27

<sup>&</sup>lt;sup>2</sup> Iftode Universal Galati, Bd.G.Cosbuc nr.350;pag2/32; tel.0236.325382; office350@universalconstruct.ro; www.universalconstruct.ro











Exactly the right combination of function and design: our classic roof tiles. With such a large selection of different colours and shapes, you are certain to find the tile that is right for you.

## Ergoldsbacher E58 – More than 1.5 billion sold pieces since 1958: the tile E58 is Germany's best-selling flat roof tile.

Our classic has been the ideal combination between form and function – for more than 50 years. The visible result: a unique, timeless look.

- Number required per m²: approx. 14.5 tiles
- Minimum roof pitch: 10°, Regular roof pitch: 20°











Engobed

Engobed

# Ergoldsbacher E 58 MAX® – Lower installation costs and the look of the E 58.

The ideal combination of form and function in a larger format creates unmistakable and timeless roofs.



- Number required per m²: approx. 11.5 tiles
- Minimum roof pitch: 10°, Regular roof pitch: 20°





















Diamond Black Special Engobed



Royal green Special Engobed


\*also available in ERLUS LOTUS\* see page 27



#### Ergoldsbacher E 58 S – Optimised for restoration.

For more than half a century, the product line of Ergoldsbacher E58 clay roof tiles has excited our customers. The Ergoldsbacher E58 S with its large sliding range convinces our customers as the ideal "re-roofing tile" for roof restoration.









Natural Red



Red Engobed\*



Copper Brown



Brazil Brown



Anthracite



Autunno



Engobed



Engobed



Maroon Special Engobed







\*also available in ERLUS LOTUS\*



### Ergoldsbacher E 58 SL - Combines all the advantages of the E 58 family in one economical tile.

Its design is the result of ongoing development of the Ergoldsbacher E58 roof tile. With its even greater sliding range, it offers even more freedom for economical roof restoration than the E58 S.

- Number required per m<sup>2</sup>: approx. 11.5 to 12.5 tiles
- Minimum roof pitch: 10°, Regular roof pitch: 20°



# Ergoldsbacher Großfalzziegel (Large Interlocking Tile) – The traditional interlocking tile that covers 20 % more area.



It is especially economical due to large cover area, and its low weight makes it easy and quick to install. Interlocked it provides high storm security.



- Number required per m<sup>2</sup>: approx. 12.5 tiles
- Minimum roof pitch: 10°, Regular roof pitch: 28°



Natural Red



Red Engobed



Copper Brown



Anthracite Engobed



Antique



Special Engobed



## Ergoldsbacher Hohlfalz SL – Soft form, tough material.

An extraordinary surface, a timelessly attractive look and beautiful light and shadow effects: the Hohlfalz SL is more than a regional alternative, also when it comes to monument conservation.

- Number required per m<sup>2</sup>: from 11.5 tiles
- Minimum roof pitch: 10°, Regular roof pitch: 20°



Natural Red



Red Engobed





Black Matt Engobed



Special Engobed









Striking and economical: The "big ones" from ERLUS are simple and quick to install, and are economically impressive.



# Ergoldsbacher E 58 PLUS® - The E 58 in PLUS size.

Its impressively harmonious proportions are the further implementation of the classic E 58 profile. The E 58 PLUS® offers an attractive appearance and a surface quality that sets the standard. Its PLUS size is especially suited to large restorations.

- Number required per m<sup>2</sup>: approx. 7.4 to 8 tiles
- Minimum roof pitch: 10°, Regular roof pitch: 20°











Red Engobed

Copper Brown Engobed

Anthracite Engobed

Sapphire Black Special Engobed

#### Ergoldsbacher E58 MAX® – Lower installation costs with the look of the E58.

The ideal combination of form and function in a larger size creates unmistakable and timeless roofs.



- Number required per m<sup>2</sup>: approx. 11.5 tiles
- Minimum roof pitch: 10°, Regular roof pitch: 20°















Special Engobed



Diamond Black Special Engobed

Royal green Special Engobed





# Ergoldsbacher Karat® XXL – The only one of its type on the market: Karat® design in an economical XXL size.



A unique and unmistakable look. Its clear design and superior appearance for universal use on steep and flat roofs are the characteristics of the winner of the reddot design award.

- Number required per m<sup>2</sup>: from 9 tiles
- Minimum roof pitch: 10°, Regular roof pitch: 20°











<sup>10</sup>lftode Universal Galati, Bd.G.Cosbuc nr.350;pag10/32; tel.0236.325382; office350@universalconstruct.ro; www.universalconstruct.ro



# Ergoldsbacher Großfalzziegel XXL® (Large Interlocking Tile XXL) -Traditional tile setting new standards.



n impressive new interpretation of a traditional roof tile shape in a modern design – this made it the winner of the iF design awards. Interlocked, it is also impressive for its high storm security.

- Number required per m<sup>2</sup>: 9.8 to 10.25 tiles
- Minimum roof pitch: 10°, Regular roof pitch: 22°









Copper Brown

### Ergoldsbacher Reform XXL – Reform design in an economical XXL size.

The timelessly beautiful and practical shape guarantees a broad area of application.

- Number required per m<sup>2</sup>: 9.8 to 10.25 tiles
- Minimum roof pitch: 10°, Regular roof pitch: 22°





Red Engobed

## Ergoldsbacher Linea® – Smooth, pure, solid.

Engobed



The winner of the iF design award can be recognised by its optically calm surface and solid lines. The special sintering process at 1200 °C also gives it special characteristics to resist aggressive environmental influences.

- Number required per m<sup>2</sup>: approx. 10.5 tiles
- Minimum roof pitch: 10°, Regular roof pitch: 25°











Special Engobed

Sinter Red

Special Engobed

Sinter Grey Special Engobed

Sinter Light Grey Special Engobed

# Ergoldsbacher Forma® – Unique combination of design and economy.



The feminine lines answer the need for harmonious shapes. It represents an elevated lifestyle, its economy is impressive, and it brings contemporary culture to your roof. Especially suitable for hipped roofs. Interesting for restoration builders seeking an alternative to classic roof tiles.



- Number required per m<sup>2</sup>: approx. 9.8 to 10.25 tiles
- Minimum roof pitch: 10°, Regular roof pitch: 22°







Engobed\*



Engobed\*











Special Engobed

Special Engobed







Roof restorations place high requirements on the flexibility of the materials. ERLUS offers you a broad range of roof tiles for various restoration needs, with maximum sliding ranges and installable on large surfaces.



### Ergoldsbacher E 58 S - Optimised for restoration.

For more than half a century, the product line of Ergoldsbacher E58 clay roof tiles has excited our customers. The Ergoldsbacher E58 S with its large sliding range convinces our customers as the ideal "re-roofing tile" for roof restoration.

- Number required per m²: approx. 13.9 to 14.9 tiles
- Minimum roof pitch: 10°, Regular roof pitch: 22°









Special Engobed







# Ergoldsbacher E 58 SL – Combines all the advantages of the E 58 family in one economical tile.



Its design is the continued development of the Ergoldsbacher E 58. The larger sliding range offers even more freedom for an economical roof restoration than the E 58 S.

- Number required per m<sup>2</sup>: approx. 11.5 to 12.5 tile
- Minimum roof pitch: 10°, Regular roof pitch: 20°





## Ergoldsbacher E 58 PLUS® – The E 58 in PLUS size.



Its impressively harmonious proportions are the further implementation of the classic E58 profile. The E58 PLUS® offers an attractive appearance and a surface quality that sets the standard. Its PLUS size is especially suited to large restorations.

- Number required per m<sup>2</sup>: approx. 7.4 to 8 tiles
- Minimum roof pitch: 10°, Regular roof pitch: 20°











E'cotta

Engobed

Engobed

<sup>14</sup>Iftode Universal Galati, Bd.G.Cosbuc nr.350;pag14/32; tel.0236.325382; office350@universalconstruct.ro; www.universalconstruct.ro



# Ergoldsbacher Großfalzziegel (Large Interlocking Tile) – The traditional interlocking tile that covers 20 % more area.



It is especially economical due to large cover area, and its low weight makes it easy and quick to install. Interlocked, it provides high storm security.



- Number required per m²: from approx. 12.5 tiles
- Minimum roof pitch: 10°, Regular roof pitch: 28°



Natural Red











Anthracite Engobed

Antique Engobed

ue Maroon ed Special Engobed



### Ergoldsbacher Reform SL – Reform design in an SL format.

The Ergoldsbacher Reform SL is impressive due to its flexible application possibilities in restoration. Its classic and yet contemporary straight-line shape ensures it also has a broad area of application in today's architecture.

- Number required per m<sup>2</sup>: from approx. 12.5 tiles
- Minimum roof pitch: 10°, Regular roof pitch: 25°





Engobed







Red Engobed

Engobed

Engobed



### Ergoldsbacher Hohlfalz SL - Soft form, tough material.

An extraordinary surface, a timelessly attractive look and beautiful light and shadow effects: the Hohlfalz SL is more than a regional alternative, also when it comes to monument conservation.



- Number required per m²: from 11.5 tiles
- Minimum roof pitch: 10°, Regular roof pitch: 20°

















The restoration of historic buildings is an exciting balancing act between authentic design and modern standards. ERLUS offers you a large selection of historic roof tile shapes that fulfill all modern material requirements.



#### Ergoldsbacher Falzziegel (Interlocking Tile) – The historic original.

A robust and rustic roof tile for large unified roof surfaces. Interlocked installation makes this tile especially safe in storms and strong rain. The sinter fired interlocking version is especially resistant to environmental influences.

- Number required per m<sup>2</sup>: approx. 15 tiles
- Minimum roof pitch: 10°, Regular roof pitch: 30°









Natural Red

(

Sinter



# Ergoldsbacher One-piece Mission Tile – Classic "Over and Under Tile" appearance in an economical form.



The strong light and shadow effect of the one-piece mission tile gives your roof a distinctive profile.

Therefore, this striking roof tile is well suited to buildings of historic character and houses with Italian flair.

- Number required per m²: approx. 14.5 tiles
- Minimum roof pitch: 10°, Regular roof pitch: 22°



Natural Red



#### Franconian Tile – For historic roofs with regional character.

Its svelte lines make this tile unmistakable. It catches the eye by simple elegance and can be installed dry or with mortar.

- Number required per m<sup>2</sup>: approx. 17.5 tiles
- Minimum roof pitch: 10°, Regular roof pitch: 40°



Natural Red



### Ergoldsbacher Over and Under Tile – Historically faithful and a strong expression.

A Mediterranean note ideal for individualistic roof designs and wall covers (without projections) for superior single family houses. ERLUS is the largest German supplier of over and under tiles and offers six different models in the standard range.

- Number required per m<sup>2</sup>: depends on model
- Minimum roof pitch: 10°, Regular roof pitch: 40°





# Ergoldsbacher Plain Tiles – The leading range for churches and the preservation of historic buildings.

A classic, like they used centuries ago. It allows the creation of calm and unified surface effects. Timeless aesthetics accompany comprehensive design options. ERLUS is the market leader in surfaces and shapes and also offers the industry's largest standard selection of plain tiles.

- Number required per m<sup>2</sup>: approx. 33.7 to 44.5 tiles (depending on coverage and format)
- Minimum roof pitch: 10° (sinter plain tiles), 18° (plain tiles), Regular roof pitch: 30°



<sup>\*</sup>only for round shapes






Roofs are more than just protection from the weather – they underline the character of a house and awaken emotion. ERLUS roof tiles in classic southern shapes and colours will bring a piece of Mediterranean lifestyle to your house.



### Ergoldsbacher E58 S – Optimised for restoration.

For more than half a century, the product line of Ergoldsbacher E58 clay roof tiles has excited our customers. The Ergoldsbacher E58 S with its large sliding range convinces our customers as the ideal "re-roofing tile" for roof restoration.





• Minimum roof pitch: 10°, Regular roof pitch: 22°

Engobed











Engobed

Engobed

### Ergoldsbacher Monaco – Mediterranean flair – made in Germany.

The charm of the south: Ergoldsbacher Monaco is a high-profile Mediterranean roof tile adjusted to the climate requirements of central Europe. Its striking profile will give your roof that play of light and shadows well known from southern regions. Harmoniously selected colour nuances have been added to the engobes and give these tiles their superior appearance. A Mediterranean feeling, produced in Germany.

- Number required per m<sup>2</sup>: approx. 14.5 tiles
- Minimum roof pitch: 10°, Regular roof pitch: 22°









Natural Red



#### Ergoldsbacher One-piece Mission Tile – Strong light and shadow effect.



The strong light and shadow effect of the one-piece mission tile gives your roof a distinctive profile. Therefore, this striking roof tile is well suited to buildings of historic character and houses with Italian flair.



- Number required per m<sup>2</sup>: approx. 14.5 tiles
- Minimum roof pitch: 10°, Regular roof pitch: 22°



Natural Red





### Ergoldsbacher Großfalzziegel (Large Interlocking Tile) – The traditional interlocking tile that covers 20 % more area.



It is especially economical due to large cover area, and its low weight makes it easy and quick to install. A robust and rustic roof tile. Now also in Mediterranean style "Antique Engobed".



- Number required per m<sup>2</sup>: from approx. 12.5 tiles
- Minimum roof pitch: 10°, Regular roof pitch: 28°











Roof tiles from ERLUS represent not only longevity, but also timeless design. This is proven by a fine selection of exciting colours and shapes, some of which have won awards. It's an impressive addition to the character and individuality of your construction project.



### Ergoldsbacher Karat® – 40 years of uniqueness in shape, technology and design.

This is no short-lived trend, but will give your roof an impressive and superior appearance. Here you can actually feel the 40 plus years of experience with extremely flat roofs. That's why Karat® is also more rainproof than any other roof tile on the market. Simply timeless, simply superior.

- Number required per m<sup>2</sup>: approx. 15 tiles
- Minimum roof pitch: 7°, Regular roof pitch: 16°







Engobed



Special Engobed



## Ergoldsbacher Karat® XXL – The only tile of its type on the market. Karat® design in an economical XXL size.



A unique and unmistakable look. Its clear design and superior appearance for universal use on steep or flat roofs – these are the characteristics of the winner of the reddot design award.

- Number required per m<sup>2</sup>: from 9 tiles
- Minimum roof pitch: 10°, Regular roof pitch: 20°











### Ergoldsbacher Linea® – Smooth, pure, solid.

Engobed



The winner of the iF design award can be recognised by its optically calm surface and solid lines. The additional special sintering at 1200 °C gives it special qualities in resisting aggressive environmental influences.

- Number required per m<sup>2</sup>: approx. 10 tiles
  - Minimum roof pitch: 10°, Regular roof pitch: 25°











Sinter Black Matt

# Ergoldsbacher Forma® – Unique combination of design and economy.



The feminine lines answer the need for harmonious shapes. It represents an elevated lifestyle, its economy is impressive, and it brings contemporary culture to your roof. Especially suitable for hipped roofs. Interesting for restoration builders seeking an alternative to classic roof tiles.



- Number required per m²: approx. 9.8 to 10.25 tiles
- Minimum roof pitch: 10°, Regular roof pitch: 22°













Special Engobed



\*also available in ERLUS LOTUS see page 27



Copper Brown Engobed\*

Special Engobed

Special Engobed



## Ergoldsbacher Großfalzziegel XXL® (Large Interlocking Tile XXL) – Traditional tile setting new standards.



An impressive new interpretation of a traditional roof tile shape in a modern design – this made it the winner of the iF design awards. Interlocked, it is also impressive for its high storm security.

- Number required per m<sup>2</sup>: 9.8 to 10.25 tiles
- Minimum roof pitch: 10°, Regular roof pitch: 22°



Natural Red







Copper Brown Engobed

Engobed





Done with dirt! The baked-on surface processing on ERLUS LOTUS® clay roof tiles destroys organic dirt particles like fatty deposits, soot, mosses and algae with the help of sunlight. The rain washes them off. An ERLUS LOTUS® clay roof will therefore stay clean longer than ordinary roof tiles.



## Ergoldsbacher E 58 MAX® - Lower installation costs and the E 58 look, with added high-tech surface.



The ideal combination of form and function in a large format creates unique, timeless roofs. Also with self-cleaning ERLUS LOTUS® surface.



- Number required per m²: approx. 11.5 tiles
- Minimum roof pitch: 10°, Regular roof pitch: 20°







# Ergoldsbacher E 58 S – Optimised for restoration with added high-tech surface.



For more than half a century, the product line of Ergoldsbacher E58 clay roof tiles has excited our customers. The Ergoldsbacher E58 S with its large sliding range convinces our customers as the ideal "re-roofing tile" for roof restoration. Now also with the self-cleaning ERLUS LOTUS® surface.



- Number required per m<sup>2</sup>: approx. 13.9 to 14.9 tiles
- Minimum roof pitch: 10°, Regular roof pitch: 22°













# Ergoldsbacher Forma® – Unique combination of design and economy, with high-tech surface.



The feminine lines answer the need for harmonious shapes. It represents an elevated lifestyle, its economy is impressive, and it brings contemporary culture to your roof. Especially suitable for hipped roofs. Interesting for restoration builders seeking an alternative to classic roof tiles. Also with self-cleaning ERLUS LOTUS® surface.



- Number required per m<sup>2</sup>: approx. 9.8 to 10.25 tiles
- Minimum roof pitch: 10°, Regular roof pitch: 25°






















If you're planning something big, you need a good partner at your side – someone you can rely on 100 %. That is exactly what ERLUS wants to do for you. As one of the leading manufacturers of clay roof tiles we are glad to advise you in the selection of products and will precisely analyse your needs.